

Permutations and Combinations: Takeaways



by Dataquest Labs, Inc. - All rights reserved © 2021

Concepts

- If we have an experiment E_1 (like flipping a coin) with **a** outcomes, followed by an experiment E_2 (like rolling a dice) with **b** outcomes, then the total number of outcomes for the composite experiment $E_1 E_2$ can be found by multiplying **a** with **b**. This is known as the **rule of product**.

$$\text{Number of outcomes} = a \times b$$

- If we have an experiment E_1 with **a** outcomes, followed by an experiment E_2 with **b** outcomes, followed by an experiment E_n with **n** outcomes, the total number of outcomes for the composite experiment $E_1 E_2 \dots E_n$ can be found by calculating the product of their individual outcomes:

$$\text{Number of outcomes} = a \times b \times \dots \times n$$

- There are two kinds of arrangements:
 - Arrangements where the order matters, which we call **permutations**.
 - Arrangements where the order doesn't matter, which we call **combinations**.
- To find the number of permutations when we're sampling with replacement, we can use the formula:

$$\text{Permutations} = n!$$

- To find the number of permutations when we're sampling without replacement and taking only k objects from a group of n objects, we can use the formula:

$$P(n, k) = \frac{n!}{(n-k)!}$$

- To find the number of combinations when we're sampling without replacement and taking only k objects from a group of n objects, we can use the formula:

$$C(n, k) = \binom{n}{k} = \frac{n!}{k!(n-k)!}$$

Resources

- [A tutorial on sampling with replacement](#), which we haven't covered in this lesson
- [An easy-to-digest introduction to permutations and combinations](#)